



# Model DSSP6003B

## Pedestrian Security Gate (electromagnetic lock)

The DSSP6003B half-height pedestrian security gate is designed for individual operation or to integrate with a half-height turnstile for access control. It features a standard relay signal for compatibility with various third-party access control systems. This setup is a common and ideal solution for managing access for package deliveries, carts, handicapped individuals, and similar needs.

#### Features

- The direction of door opening: one-way.
- 304 brushed stainless steel, durable and antirust.
- Support integrated with any type of access control systems.
- IP65 waterproof level, indoor/outdoor use.
- Fire safety requirements, arms open automatically.
- Easy to install and maintain.
- 3 years warranty support.

#### **Customized Service**

- Material optional.
- Appearance color can be customized based on installation environment.
- Dimensions can be customized to meet your request.
- Logo can be customized.
- Picture: high resolution and scene picture can be customized

Access Control System

Daosafe turnstile gates can be well integrated with any  $3^{rd}$  party access control systems



Card Solution



QR/Bar Code Solution





**Touchless Button** 







Fingerprint

Face Palm






## Specifications


Model No.	DSSP6003B	
Туре	Electromagnetic lock	
Brand	Daosafe	
Framework Material	304 Stainless Steel + Plexiglass	
Dimension	1200 * 170 * 1000mm	
Net Weight	30kg/pcs	
Passage Width	900mm	
Passing Direction	Single directional / Bi-directional	
Direction of Door Open	One way	
MCBF	10 million	
Power Supply	AC220V/110V, 50/60Hz	
Operation Voltage	24V DC	
Power Consumption	40W	
Operation Temperature	–15 °C ~ 60 °C	
Operation Humidity	0 ~ 95% (no freeze)	
Working Environment	Indoor / outdoor	
Flow Rate	30 people per minute	
Communication	Dry contact, relay signal	
Emergency	Arms will open when power off	
Flexibility	Integrate with any access control	


Dimensions

Top View



Front View







## Comparison

Model Photos	E.		E.
Model DSSP6003.	А	В	С
Opening Mode	Manual type	Manual type	Automatic type
Direction of Door Opening	One way	One way	Two ways
Electric Lock	×	$\checkmark$	Motor with clutch
Access Control	×	Support any access controllers	Support any access controllers
Power Supply	×	$\checkmark$	$\checkmark$
LED Light	×	×	$\checkmark$
Self Close	×	×	$\checkmark$
Details	key cylinder	Magnetic lock	Kotor

Dao<mark>Sãfe</mark>