



Model DSSP6004A

Pedestrian Security Gate (manual lock)

The DSSP6004A is a manually operated, simple type of full-height pedestrian gate, which is unlocked with a mechanical key on both the entry and exit sides. It is typically used either independently or in conjunction with a full-height turnstile to regulate access in areas requiring strict traffic control. This combination is the most common and ideal solution for managing access for package deliveries, carts, and individuals with disabilities.

Features

- The direction of door opening: one-way.
- Use keys to control entry or exit.
- 304 brushed stainless steel, durable and antirust.
- IP65 waterproof level, indoor/outdoor use.
- Easy to install and maintain.
- 3 years warranty support.

Customized Service


- Material optional.
- Appearance color can be customized based on installation environment.
- Dimensions can be customized to meet your request.
- Logo can be customized.
- Picture: high resolution and scene picture can be customized




Specifications

Model No.	DSSP6004A
Type	Manual lock
Brand	Daosafe
Framework Material	304 Stainless Steel
Dimension	1000 * 50 * 2300mm
Inner Height	2080mm
Net Weight	45kg/pcs
Passage Width	900mm
Passing Direction	Single/bi-directional
Direction of Door Open	One way
MCBF	10 million
Operation Temperature	-25 °C ~ 70 °C
Operation Humidity	0 ~ 95% (No freeze)
Working Environment	Indoor / outdoor
Flow Rate	30 people per minute


Front View





Top View



Side View






Colors Optional



Comparison

Model Photos



Model DSSP6004.	A	B	C
Opening Mode	Manual type	Manual type	Automatic type
Direction of Door Opening	One way	Two ways	Two ways
Electric Lock	✗	✓	Motor with clutch
Access Control	✗	Support any access controllers	Support any access controllers
Power Supply	✗	✓	✓
LED Light	✗	✗	✓
Self Close	✗	✗	✓
Details	 <p>key cylinder</p>	 <p>Electric bolt</p>	 <p>Motor</p>