



Model DSSP6004C

Pedestrian Security Gate (motor with

The DSSP6004C full-height pedestrian security gate is designed for individual operation or to integrate with a full-height turnstile for access control. It features a standard relay signal for compatibility with various third-party access control systems. This setup is a common and ideal solution for managing access for package deliveries, carts, handicapped individuals, and similar needs.

Features

- The direction of door opening: two-way.
- 304 brushed stainless steel, durable and antirust.
- Support integrated with any type of access control systems.
- Green and red LED indicator display passing status.
- IP65 waterproof level, indoor/outdoor use.
- Fire safety requirements, arms open automatically.
- Easy to install and maintain.
- 3 years warranty support.

Customized Service

- Material optional.
- Appearance color can be customized based on installation environment.
- Dimensions can be customized to meet your request.
- Logo can be customized.
- Picture: high resolution and scene picture can be customized

Access Control System

Daosafe turnstile gates can be well integrated with any 3rd party access control systems



Card Solution



QR/Bar Code Solution



Remote Control



Touchless Button



Fingerprint



Face



Palm Vein




Specifications


Model No.	DSSP6004C
Type	Motor with clutch
Brand	Daosafe
Framework Material	304 Stainless Steel
Dimension	1200 * 260 * 2300mm
Inner Height	2080mm
Net Weight	65kg/pcs
Passage Width	900mm
Passing Direction	Single directional / Bi-directional
Direction of Door Open	Two ways
MCBF	10 million
Power Supply	AC220V/110V, 50/60Hz
Operation Voltage	24V DC
Power Consumption	40W
Operation Temperature	-15 °C ~ 60 °C
Operation Humidity	0 ~ 95% (no freeze)
Working Environment	Indoor / outdoor
Flow Rate	30 people per minute
LED Indicator	green → entry, red × no entry
Communication	Dry contact, relay signal, RS485
Emergency	Arms will open when power off
Flexibility	Integrate with any access control

Dimensions


Front View



Top View



Side View





Colors Optional



Comparison

Model Photos



Model DSSP6004.	A	B	C
Opening Mode	Manual type	Manual type	Automatic type
Direction of Door Opening	One way	Two ways	Two ways
Electric Lock	✗	✓	Motor with clutch
Access Control	✗	Support any access controllers	Support any access controllers
Power Supply	✗	✓	✓
LED Light	✗	✗	✓
Self Close	✗	✗	✓
Details	 key cylinder	 Electric bolt	 Motor