

Double-sided High Brightness Display

Synchronous and Asynchronous

This screen supports both synchronous and asynchronous display modes. It can show the same content on multiple screens or different content on each screen, offering flexibility for various display needs. This makes it ideal for dynamic presentations, retail displays, and interactive setups.

Industrial Standard LCD Display

Developed for the street retail stores, be based on the industrial standard panel and powerful aluminium heat sink inside.Our display would works perfect even under sunlight directly.

Double Sided Hanging Display

Wish double sided, people can't miss any information from the device no matter which side they are watching. Mosthigh effective advertising purpose for your store.

Automatic Brightness Control

To let the passerby have a good visual experience no matter in daily time or evening, the display have a sensitive light sensor inside, brightness would be automatic control by the sunlight.

Industrial Grade

Designed for use in any applications this screen can run24/7.There are no external buttons or controls to avoid tampering.

Network CMS Upgrade

We also offer cloud basis network CMS if required,and you can run the third party Digital Signage software viaour Android PC board too.

IPS Panel

IPS panel, 178 wide viewing Angle
The picture is still sharp and undistorted

Outstanding Visibility High Brightness

With a great high brightness of 3,000 nits, 530XH can makes perfect display performance much better than others, it's the first option for your store.

Sunlight Readable | 24/7Usage | Android Media Player | Plug and Play | Automatic Brightness Control | Fan-less design

Product Advantages



Product Advantages




3000 cd/ m² High Brightness

Outstanding visible high brightness




Auto Brightness Control

Brightness would be auto adjust via the ambient light



Industrial Standard LCD glass

Screen Working Temperature up to 80°C




Noiseless Design

Noiseless design makes the operation noises less then 25dB at full load



Synchronous and Asynchronous

Supports both synchronous and asynchronous display modes. It can show the same content on multiple screens or different content on each screen.



Adjustable hanging bracket length


Adjustable according to your desired height

Specifications

Model			No.541XH				
Panel A/B	Display Size(inch)		32"	43"	49"	55"	65"
	Resolution		1920x1080	1920x1080	1920x1080	1920x1080	1920x1080
	Active Display Area(mm)		701.4(V) x395.9(H)	943.0(V) x531.0(H)	1077.8(V) x 608.0(H)	1211.6(V) x 682.6(H)	1428.5(V) x 803.5(H)
	Aspect Ratio		16:09	16:09	16:09	16:09	16:09
	Brightness(cd/m2)		3000/700 nit	3000/700 nit	3000/700 nit	3000/700 nit	3000/700 nit
	Contrast Ratio(Typ.)		1000:1	1000:1	1000:1	1000:1	1000:1
	Viewing Angle(H/V)		178/178				
	Colour		16.7M				
	Response Time(G-to-G)		6ms				
	Operation Hour		24/7				
Sound	Loud Speaker		5W, 8Ω				
Power	Type		Internal				
	Power Supply		AC 100 - 240 V~ (+/- 10 %),50/60 Hz				
	Power Consumption	Max[W/h]	193	207	372	425	523
		Sleep mode	less than 0.5W				
		Off mode	less than 0.5W				
Mechanical Spec	Protection Glass		Yes				
	Stand Type		Hanging				
Environmental	Operating Environment Temperature		-10°C ~ 50°C(indoor)				
	Operating Humidity		10% ~ 80 %				
	Storage Humidity		5% ~ 95%				
OS	Two android boards inside	Processor	T972 (1.9GHz, octa core)				
		RAM	2G				
		Flash	16G EMMC				
		USB	USB2.0 HOST(X2)				
		HDMI	IN				
		LAN	10M/100M Ethernet(Network version screen only)				
		External memory	8GB SD card(up to 32G)				
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)				
		Media Resolution	3840*2160				
		Wi-Fi	802.11b/g/n Ethernet(Network version screen only)				
		Operating System	Android 9.0				
Certifi cation	Safety		CE ROHS				
Accessories	Included		Remote control, Key, Power cable,Ceilling hanging bracket				
	Quality assurance		1 year （2-3 years optional）				
	Type of packaging		Carton box /honeycomb box + wooden case				

Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!



FACTORY



EXHIBITION HALL



WAREHOUSE

COMPANY PROFILE

- Company Name: Screenage Technology
- Established in **2008**
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen,China
- Factory Total Area: **3000m²**
- Output: **100,000Pcs/Year**
- Product Range: Digital Signge, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America,Western Europe,Mid East,Eastern Europe, South America,Africa
- Certificate: **ISO9001,CE,EMC,RoHS**

Have questions?

We have answers!

Get answers about Pricing,Specifications,Installation,and more

CONTACT US NOW!

E-mail: info@screenage.com

www.screenage.com