Screenage®



Transparent OLED Signage Stand-Floor Design Touch Screen





High Transparency

By leveraging the 40% transparency level, you can seamlessly integrate the display into any environment without obstructing any exhibits or compromising the overall aesthetics. This ensures that your content takes center stage, while still maintaining a sleek and modern appearance.



Multi-Layering of Information

Screenage's unique Transparent OLED Signage enables a new way of marketing products. With the physical product displayed right behind the screen, you can deliver messages and display marketing contents with onscreen visual interactions.



Protective Tempered Glass

Touching a display directly can cause damage or scratches. The tempered glass in front protects the product from such external impacts and its anti-shatter glass is designed to minimize customers' injuries.



Alluring Design with a Stand

Screenage's alluring display concept takes a step forward. The transparent OLED with an alluring stand maintains the tone and manner of the design in harmony with its surroundings rather than dominating your space.

CONNECTIVITY

1. OFF/ON
2. Power input
3. USB 2.0
4. USB 3.0
5. RJ45



Specifications

Model			OLED-TX009
Panel	Display Size(inch)		55"
	Resolution		1920x1080 FHD
	Active Display Area(mm)		1209.6(H)x680.4(V)
	Aspect Ratio		16:09
	Brightness(cd/m2)		200-600cd/m² (Auto Adjust)
	Contrast Ratio(Typ.)		150000:1
	Viewing Angle(H/V)		178/178
	Color		16.7M
	Response Time(G-to-G)		1ms
	Use Life (typ.)		30,000 Hours
	Transparency		40%(Typ.)
Sound	Loud Speaker		10W*2
Power	Type		Internal
	Power Supply		AC 100 - 240 V~ (+/- 10 %),50/60 Hz
	Power Consumption	Max[W/h]	150
		Sleep mode	less than 0.5W
		Off mode	less than 0.5W
Mechanical Spec	Protection Glass		8mm
	material		Glass + sheet metal
	colour		White (customizable)
	Dimensions		820mm×400mm×1900mm
	Weight		60KG
	Stand Type		Floor-standing
Environmental	Operating Temperature		0°C ~ 40°C
	Storage Temperature		-20°C ~ 60°C
	Operating Humidity		10% ~90 %
	Storage Humidity		10% ~90 %
OS	Android Media Player	Processor	RK3399
		RAM	4GB DDR4
		Flash	32GB EMMC
		USB	USB3.0 HOST(X2)
		LAN	10M/100M Ethernet(Network version screen only)
		External memory	8G/16G/32G/64G
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)
		Media Resolution	1920*1080
		Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
		Operating System	Android 7.1

Company Name: Screenage Technology
Established in **2008**
Focus area: Commercial LCD Display Product Development
10-Year Professional Manufacturer in Shenzhen,China
Factory Total Area: **3000m²**
Output: **100,000Pcs/Year**
Tel: **+86 755 2335 2740**
E-mail: **info@screenage.com**

Screenage®

www.oledisplaytech.com