




DS205 SWING TURNSTILE

SINGLE / BI-DIRECTION

- Swing turnstile is designed to control pedestrians entering or exiting restricted areas, usually used of high pedestrian traffic flow in both directions.
- The body is made of brushed stainless steel which is robust, rigid, anti-rust, waterproof and durable.
- It is ideal for both indoor and outdoor settings.
- It has standard relay signal, which can be integrated with any kind of third-party access control system (e.g.: RFID, Fingerprint and Biometric reader device).
- In case of emergency, the turnstile arms will open automatically to allow free passage.
- It supports standard and handicapped type with wide passageway, wheelchair, pedestrian with large luggage can pass.
- It is suitable for areas with general pedestrian traffic. (e.g.: Building, Dormitory, Supermarket, Mall, Shop)




Specifications

Model No.	DS205
Brand	Daosafe
Framework Material	304 Full Stainless Steel
Dimension	168 * 1050mm
Weight	25kg/pcs
Passage Width	600-900mm (One passage)
Passing Direction	Single directional / Bi-directional
MCBF	5 million
Power Supply	AC220V/110V, 50/60Hz
Operation Voltage	24V DC
Power Consumption	40W
Operation Temperature	-15 °C - 60 °C
Operation Humidity	0 ~ 95% (No freeze)
Working Environment	Indoor / Outdoor
Flow Rate	30 people per minute
LED Indicator	No
Infrared Sensor	No
Emergency	Automatic arm open when power off
Communication	Dry contact, Relay signal, RS485

Features

- ✓ The whole system runs smoothly, long-life performance, high operation dependability and fast response.
- ✓ Alarm function, in case of illegal intrusion and reverse intrusion. (optional)
- ✓ Anti-breakthrough function. The gate is locked automatically until opening signal received.
- ✓ Anti-trailing function, the turnstile will lock if someone wants to burst in without swiping the RFID card. (optional)
- ✓ Automatic reset function. If the user fails to pass within the prescribed time (default time is 5 seconds), the system will cancel the authority of the current user automatically.
- ✓ When power off, turnstile will open automatically, which is complied with fire safety requirements.

System Integration Figure



Optional Models

